


TECHNOLOGY

Instructional viceos explaining

APA's patented technology at www.apaarchery.com



REAR STABILIZER MOUNT BALANCE YOUR BOW STRING DAMPENER REDUCES STRING VIBRATION

CARRYING HANDLE /

PROMOTES EASY CARRYING / ADDED

BROADHEAD WRENCH, NOCK WRENCH CARBIDE SHARPENER

INTEGRATED BOW WINCH

SIMPLISTIC TUNING, NO TOOLS

CUSTOMIZABLE DISC WEIGHT **MULTI-POSITION BALANCER** CENTERSHOT INDICATOR DUICK EASY ARROW ALIGNMENT REFERENCE - MICRO ADJUSTABLE TORDUE-FREE LIMB ANCHOR

OPTIMAL DROP AWAY ARROW CAMERA MOUNT SPECIMAL CAPTURE YOUR HUNT **ROTATING DRAW STOP** ADJUSTABLE ROCK-SOLID BACK WALL **TWIN FLEX LIMBS** BETTER DISTRIBUTION OF STORED ENERGY DIRECT MOUNT SUNG NO UNNECESSARY HARDWARE HAND POSITION REFERENCE

MACHINED GROOVE FOR CONSISTENT **BOW HAND POSITIONING NOCK POINT ALIGNMENT ZONE** NO BOW SQUARE NEEDED FOR BOW **VARIABLE YOKE TECHNOLOGY** OPTIMUM CAM LEAN POSITIONING SOFT TOUCH ARMOUR MINIMIZES CONTACT NOISE 6 WARMER TO THE TOUCH **DUAL REST MOUNTING** SCREWS

SOLID REST MOUNTING SYSTEM XS TORQUE-FREE MODULES EASY TO TUNE FOR OFTIMAL

SUPPORT BRIDGE

NO BOW PRESS NEEDED

NO ROPE, NO PROBLEM

STABILITY CONTROL

RISER FANG

CAM LOCK

HANG YOUR BOW

TOOL CENTRE

MICRO TUNE

SYSTEM (SCS)

GROOVE







WORLD'S MOST FUNCTIONAL BOW


PRO-CONNECT STABILIZER QUICK LOCK/REMOVE STABILIZERS

PRO-CONNECT BOW SLING QUICK CONNECT CARRYING POWER

INTEGRATE REST MOUNT INTEGRATE READY REST MOUNT

REPLACEABLE GRIP

CUSTOM GRIP ANGLE







MORE **THAN** JUST A BOW









APA CAM LOCK

APA's innovative Cam Lock allows the archer to replace the cables or string, make adjustments, install accessories and tune their bow without the need of a standard bow press. To use, simply apply a little pressure to the string or cables to slightly rotate the cam, insert the pin into one of the multiple cam lock holes located on the perimiter of the cam. No extra tools required, a stainless steel pin convienently stored on the bow for easy access.



APA MICRO TUNE

APA's patented adjustable Micro Tune Cable Guide allows for precise tuning / cam timing of your bow right at your fingertips. To make an adjustment simply loosen the red lock knob, then turn the black adjustment knob to either advance or slow down cam rotation, to achieve the desired result. No tools or bow press required.



APA PRO CONNECT SIGHT

The Pro-Connect Sight mount offers a new flush sight retaining system, using a recessed track desgined to accept many of the popular dovetail sights on the market today. This sight mounting system allows the sight to be moved in closer to the true center of the bow, providing the archer with a more balanced and sleek profile.



APA PRO CONNECT STABILIZER

The revolutionary Pro-Connect Stabilizer mount allows the user to quickly lock and remove various stabilizers on the market today. The new stabilizer mount is located on both front stabilizer mounting positions of the bow.



Fueled by passion for archery, it has led us to engineer industry leading technology and performance. Our Unique designs, exclusive features and functionality are renowned for the most practical use in the field With Industry leading speeds, accuracy, and shoot ability, it is time to find out why "We Are NOT The Same".







APA BOW WINCH

No Rope, No Problem. Taking functionality to the next level, APA has come up with the ultimate backcountry accessory. We have designed this product so versatile it can attach to your bow in 2 seperate ways, while operating flawlessly in all applications. Designed to save pack space and forgotten ropes, the Bow Winch will lift your bow up to your tree stand and stores easily in a nice compact spool in a stabilizer, or integrated directly into the riser of your APA bow.

Comes Standard in Black Color.

APA INTEGRADED WINCH

Mounted integrally inside compatible APA bow models for optimal performance. Easy locking system allowing you to hoist your bow in the field, weighing in at 2oz. Must be factory installed at time of bow purchase.





BALANCE YOUR BOW





APA MULTI-POSITION BALANCER

APA's patented compact and innovative string stop mounted stabilizer / dampener is engineered to control the front to back, side to side balance of your bow, minimizing hand torque. It maintains a sleek profile for all scenarios. Quick easy one screw adjustment. Comes standard in Black Color.





TUNING TECHNOLOGY



APA STABILIZER WINCH

Can be used on any make or model bow, simply attaching like any normal stabilizer. Raise or lower your bow with the simple, easy to use locking system. weighing at 4oz.



APA CENTER SHOT INDICATOR

APA's new Center Shot Indicator makes setting up a bow easier than ever. Simply remove your cam lock pin from the tool center, insert into the precision drilled hole on the riser above the arrow, adjust your arrow rest left or right to align your arrow with the laser etched indicator line and you are set.







APA INTEGRATE REST MOUNT

A light and sleek and low profile way to mount your dovetail arrow rest.



APA NOCKPOINT ALIGNMENT ZONE

APA's Nock Point Alignment Zone allows you to correctly align the vertical positioning of the arrow's nock point. Simply look at the bow from a side view and adjust your arrow rest/ nock in parrallel to the machined lines on the riser and your nock point is set, no bow square required.







APA ROTATING DRAW STOP

APA's Rotating Draw Stop enables a rock-solid back wall at any draw length or draw weight, while still providing the highest level of performance. A true game changer.



APA PRO CONNECT BOW SLING

The Pro-Connect Sling is an easy connect system to attach and detach a bow sling from the bow with ease, making it functional for all hunting conditions. This easy connect bow sling provides hunters with even more back country carrying power.



APA SLIM / LIGHT WEIGHT DESIGN

APA Bows are built with the hunter in mind. Industry leading technology designed to be the slimmest most compact, lightest weight bows available. Along with its unmatched functionality and performance, sets the benchmark for the ultimate back country bow.

Profile comparison based on simlar axle to axle bows:

- Slimmer in Width
- Shorter End to End
- Lighter in Physical Weight



ULTRA SLIM AND COMPACT

APA STABILITY CONTROL SYSTEM

APA's Stability Control System allows you to customize the feel and balance of your bow. Using a1/4-20 threaded hole in the riser allows you to add 1, 2, or 4 oz weights near the pocket on either left orright side on the top or bottom of the bow riser. Improving stability and allowing the archer a more precise hold when aiming, while keeping APA's slim profile maintaining the slimest bow on the market.





APA Torque-Free Limb Anchor

APA's all new Torque-Free Limb Anchor gives you the perfect place to securely tie in your limb driven drop away rests, Placed in the perfect spot to eliminate side to side torque on your limb forks for increased accuracy.





Nock Wrench



APA TOOL CENTRE

Broadhead Wrench Carbide Sharpener Cam Lock Pin Nock Wrench









APA SNAKE LEGS

The engineering team has taken things to another level and innovated a way to put legs on a snake. While a typical bow pod mounts to your limb, this does not allow you to shoot with it on, as it will create noise and affect the shot. The AFA Snake Legs secures to the bow pocket for a better fit while also allowing you to shoot your bow without removing it as it does not interfere with limb movement. Pressed for time? Grab and shoot without worry of the snake legs.





APA DIRECT MOUNT WRIST SLING

Allows the attachment of a safety wrist sling directly into the bow riser with the used of a set screw, no additional components required.





APA CAMERA MOUNT

Capture your hunting experience from a first person view. All APA risers are drilled and tap to accomodate your camera tripod mount for a direct mount. APA Camera Kit required sold seperatly.





180 up to 360 FP5 Axie To Axie Brace Height



APA Archery has taken innovation to the next level by introducing the Black Mamba Pro, Featuring APA's new Pro-Connect Technology This High Performance bow clocks in at 360fps IBO, with a 6 inch brace height. This lightweight, 3.9lb bow is destined to be the top of its class. The Black Mamba Pro is extremely light, smooth, efficent and is the most technically armed bow APA has ever built. APA's cutting-edge technology charts the Black Mamba Pro as the ultimate compound bow for the hardcore bowhunter.

LIGHTWEIGHT FAST **SMOOTH** QUIET **PRACTICAL**

ADDITIONAL FEATURES

- Hex/Triangular Quiver Mounts
- Recessed Integrated Bow Winch Mount
- Interchangable Grip
- Integrated Quick Disconnect Stabilizer Mount X2
- Lower Front Stabilizer Included
- Micro-Adjustable Center Shot Indicator
- Arrow Centering Bow Shelf
- Engineered Lighter Riser Design
- Enhanced Balance / Stability

APA PRO CONNECT TECHNOLOGY

APA PRO CONNECT SIGHT

The Pro-Connect Sight mount offers a new flush sight retaining system, using a recessed track desgined to accept many of the popular dovetail sights on the market today. This sight mounting system allows the sight to be moved in closer to the true center of the bow, providing the archer with a more balanced and sleek profile.





APA PRO CONNECT STABILIZER

The revolutionary Pro-Connect stabilizer mount allows the user to quickly lock and remove various stabilizers on the market today. The new stabilizer mount is located on both front stabilizer mounting positions of the bow.





APA PRO CONNECT BOW SLING

The Pro-Connect Sling is an easy connect system to attach and detach a bow sling fom the bow with ease, making it functional for all hunting conditions. This easy connect bow sling provides hunters with even more back country carrying power.





IRD un to

35%

5 14

Let Off

80 %

Shown in: Covert Black

put in front of it!

Shown with Optional Titanium Kit.

















Shown in: Chocolate Shown with Optional Colored Limbs: Chocolate Shown with Optional Titanium Kit

SILKY SMOOTH!

IRO un to 345 FPS 33% Brace Height 67/ Physical Weight 3.8 lbs 40, 50, 80, 70 Bilding cuetam arde 56" - 35" Is held in accessible, such expired Energy 70# 92.53 KE Lat Ditt 80 %

Shown in: Desoive Wing



The Black Mamba 29 is a Ultra-Compact, Lightweight, High Performing bow is destined to be the leader in its class and is sure to be a fan favorite. Loaded with APA's exclusive features making it the ultimate back country Bow. Weighing in at a mere 3.55 lbs, Producing an impressive 355 fps IBO with a generous 6 1/4" brace height, making it the fastest, most forgiving bow in its class. The Black Mamba 29 is a great choice for the archer that demands the highest level of performance.

Fully Loaded with APA's industry leading technology. The Black Mamba 33 is one of the most accurate, smooth drawing and forgiving hunting bow that we have ever created. Sporting a 33" axle to axle and a generous brace height, this bow is a pleasure to shoot, Fast and lightweight. this bow is also a great choice for the longer draw archer.



BLACK AIR+

SERPENT 82



ADJUSTABILITY REDEFINED! IBO up to 320 FPS Axie To Axie 30" Brace Height 7%" Physical Weight 3.3 lbs Brew Weight 10-60 **Draw Langth** 18" - 30" Energy 70# 68.23 KE

Shown in: Kuiu Verde 2.0

Shown in: Matte Black

Let Diff

75 %

The Black Mamba Air is Ultra-Light weighing in at a mere 3.2lbs! With a Forgiving 7 1/2" brace height, Compact 28" axle to axle, This high performance bow produces speeds of up to 340 fps. Another excellent option for the hunter who wants to pack in ultra-light with heavy performance. Offered with a 15th draw range is also ideal for the small framed archer looking for high performance. The Serpent is a Compact, Lightweight High Performing bow is destined to be a performer and is sure to be a fan favorite. Loaded with APA's exclusive features making it one of the most functional and adjustable APA bows. Weighing in at a mere 3.3 lhs, producing an impressive speed of 320 fps IBO with a generous 7 1/2" brace height, making it the most versatile bow in its class. The Serpent is a great choice for the beginning, or budget conscious archer that demands the highest level of performance and functionality.













MAMBA 36

IMPROVE

YOUR

END GAME!

IRO un te

61/1"

Physical Weight

40, 50, 60, 70

to half or any remember, recell require Energy 70# 91.46 KE

Shown in: 0.D Green

4.4 lbs

SCIPS cuetors o

Let Diff

80 %

Draw Length 26.5" - 32.5"

343 FPS




The Black Mamba 36 is an impressive combination of size. function, and performance. With an axle to axle of 36 inches



The Black Mamba 38 sets the bar with unsurpassed accuracy. Stability. and Tunability! Proven to withstand thousands of shot cycles with impeccable consistancy, the high pressure of the Paralympic Games and winning the Gold medal in Tokyo 2020 this year is just one of its many accolades! Podium proven and wont let you down. With a forgiving brace height, 38 inch axle to axle, and an impressive 340 fps iBO rating, it will be ready to strike the X ring, designed for the most demanding archer, Packed with APA's exclusing technology features you will be hard pressed















APA **TWISTER 360**

Left / Right Hand Specific

- · All metal construction machined from aircraft grade aluminum, brass and stainless steel
- · Complete with noise reducing fleece
- · Micro adjustable left and right
- APA's Forward Launch Position
- · Does not affect cam timing
- Whisper quiet
- · Side Load Capable
- · Any Fletch Configuration
- · Can be used with 3 or 4 Fletching
- Full Containment
- · Easy Set up



APA SAFARI LITE

Left / Right Hand Compatible

APA's Safari Lite is a lightweight, rugged, reliable, all metal construction, full containment rest. It automatically sets itself to the correct angle for optimum fletching clearance. Fleece provides whisper quiet performance. No moving parts.

APA SAFARI TRADITIONAL

Left / Right Hand Specific

APA's Safari Traditional automatically sets itself to the correct angle for optimum fletching clearance. Fully adjustable to get the most accuracy from a finger shot bow. An excellent safe choice for the younger archer. No moving parts.









Lets Talk Accuracy



Pos 1.

APA Twister 360 shown in position 1 illustrates

- APA's exclusive Forward Launch Position
- Longer Arrow support throughout the shot
- Positions arrow directly above the grip pivot point
- Minimized Bow/Hand Torque
- End Result Increased Accuracy

Pos 2.

Disadvantages of other Rests

- Other arrow rests support the arrow behind the grip pivot point
- End Result Decreased Accuracy





// TITANIUM KIT PREMIUM UPGRADE



Kit will vary depending on bow model.

Titanium Kit

- · Increased Performance
- · High Grade Titanium
- · Reduces Vibration
- · Half The Weight
- · Rust Free
- Optional Upgrade



// QAD ULTRAREST INTEGRATE MX

- FULL CONTAINMENT DROP-AWAY
- EASY LOAD AND LOCK
- AUTO ROTATE
- TOTAL FLETCHING CLEARANCE
- LOCK DOWN TECHNOLOGY
- ANTI VIBRATION TECHNOLOGY
- MICRO-CLICK ADJUSTMENTS
- INTEGRATE DOVETAIL MOUNTING SYSTEM



II KUDU BROADHEADS



CONTOUR

CONTOUR PLUS → REPLACEABLE BLEEDER

- → QUIET, ACCURATE
- → 100% STAINLESS STEEL
- → SHARP & READY TO SHOOT
- PERMANENT BONDED FERRULE
- → SINGLE-BEVEL, CUT-ON-CONTACT
- → LIFETIME GUARANTEE ON MATERIALS & WORKMANSHIP
- → AVAILABLE IN 100gr, 125gr, 150gr



II ACCESSORIES



TETRA / TETRA RYZ TOOL FREE

Over two decades of technology come together to provide one of the most versatile, lightweight and rugged sights available. The Tetra delivers a silky smooth 2.1" of travel on your choice of a fixed frame or dovetail bar. To the yard accuracy with their patented R.D.S. sight tapes and precision windage adjustment provide deadly accuracy in the field and on the range. The quiver friendly, wheel forward design makes these sights ideal for bowhunters and 3D shooters alike. With 2nd and 3rd axis adjustment and a full line of accessories, the Tetra is destined to take over as the new #1 adjustable sight on the market today.



The Apex Magnitude multi-pin Sight is designed to be rugged and overbuilt, perfect for backcountry adventures that can be hell on gear. Micro adjustable windage and elevation controls, a large 2 in. aperature diameter, with a new bracket design for increased strength and a modern look to match the latest bow designs.



The VEROS takes bow hunting and 3D shooting to the next level with benefits and features that hit well above its pricepoint. Constructed from lightweight aircraft aluminum and finished with TRU-TOUCH™ soft-feel technical coating. the VEROS is ready for the harshest environments.



MULTI-POSITION BALANCER CAMERA MOUNT KIT [MPB]



1PC DETACHABLE QUIVER

* Mountain View Quivers compatible on certain models



PEEP





BRAIDED SLING **BOW SLING**



DRONE BROADHEADS 3PK







FLUSH / 0.25 / 0.5



RELEASE



HUTO GAME BAGS



PADDED SOFT CASE



S-COIL STABILIZER



ULTIMATE HUNTER STABILIZER





DAMPENERS 2PK

BAND INSERTS 2PK



SCS 10z / 20z / 40z [stainless or black]



EZ TUNE MODULES 2PC



T10 TARGET



II PACKAGES READY TO SHOOT



WE ARE NOT **THE SAME**



VENOM PLUS •


· APA Safari Lite Rest DLoop · APEX Magnitude Sight · Peep · Wrist Sling - DLoop



VENOM PREMIUM

- APA TWISTER 360 Rest
- APEX Magnitude Sight APEX Reactor XL Quiver
- S-Coil Stabilizer Wrist Sling

-DLoop Left / Right Hand Specific



APA GEAR STAY FRESH

APA HODDIES T-SHIRTS



APA HATS / TOUQUE





ANCONERY

























NOT THE SAME













DECALS *AVAILABLE IN 7" G 14"





WINTER CAMO

GREEN CAMO



APA Pro Staff Worldwide

Terry Masikewich Douglas McDonagh Corey Skinner Gary Zager Shane Copithorne Kolin Korsi Rick Malyk James Steward Randy Rathy Rudy Hassall David Drahoninsky Stan Kite Marcel Pavlik **Brian Worsley** John Sarkisian Jr. Daniel Gissendaner Charmaine Leath Matthew Tayanetz Laurens Florian Travis Stoker **Amy Peters** Lyrik Albert Clint Taylor Kassandra Agarand Johnny Velasquez Zach McLain Tricia Morris Oshiro Dan Henniger Tobias Heeg Maxine Ross Silas Skinner Johnny Jones Ed Drapak Laura Jenkins


Lee Kite Tasjia Boyle Andrew Arsenault Carol Taylor Dylan Gutek Gianni Carrano Joel Masikewich Nathan Hedge Victoria Zaremba Jacob Jones Dane Percival Jade Lakusta Makayla Lavoie Olin Price Garett Price Greg Lavoie Brian Straub


Thank you to our prostaff that continue to strive for excellence and congratulations on all of your achievements. We would also like to thank everyone that has supported APA Archery and helped us to achieve worldwide recognition.



























































SPECIFICATIONS (APPROXIMATE)

2024 Bows	Serpent 52	Black M. Am	Black M. 29	Black M. III	K. Cobra OG	Black M. 30	Black MCXXIII	Black M. PRE
IBO Speed up to (fps)	320	340	355	345	365	343	340	360
Brace Height (in)	7 1/2	7.1/2	61/4	0.7/8	57/16	67/8	7	01/10
Let Off (%)	75	80	80	80	80	80	80	80
Axle to Axle (in)	30	28	29 1/8	33 3/8	32 7/8	36	37.7/8	31 1/2
Physical Weight (lbs)	3.3	3.2	3.55	3.9	4.1	4.4	4.4	3.9
Draw Weights (lbs)	10 - 60	35:007:45:69/05/78	40.50,60,70,90	40,50,60,70,80,90	(0.50,60,70,90,90,100)	48,50,60,70,80	40,50,60,70,80	40,56,68,76
Draw Lengths (in)	18 - 30	25-30	24-30	26-32	24-30	26.5 - 325	27 - 33	24-30
Kinetic Energy	65.23 @ 60	89.85 @ 70	97.97 @ 70	92.40 @ 70	103.56@ 70	91.4b @ /0	89.86 @ 70	100.75 @ 78

APA TECHNOLOGY / FEATURES

2024 Bows	Serpent 52	Black M. Air+	Black M. 29	Black M. 33	K. Cobra DG	Black M. 35	Black M. X38	Black M. PRO
X5 Tune Mode	Rotating Mod	•	•	•	•	•	•	•
Micro Tune				•				
Carry Handle			•	•	•	•	•	•
Riser Fang	10			•				10
Broadhead Wrench	•			•	•	•	•	
Neds Tool	•							700
Carbide Sharpener			•	•	•	•	•	
Cam Lock System		100	•					
Roller Guide		•						
Carnera Mount		•	•	•				•
Directl Mount Sling	•	•	•	•	•	•	•	•
Center Shot Indicator								Micro Adjustable
Replaceable Grip						•	•	•
Torque-Free Limb Anchor								
Arrow Centering Shelf								•
Lower Front Stab Mount								
Triangular Quiver Mount							•	
Pro-Connect Sight								10
Pro-Connect Stabilizer								•
Pro-Connect Sling				-				700
Cam System	Rt	X1	X1	X1	XI	X1	X1	X1

2024 DRAW MOD CHART

	IBO	#1.0	#1.5	#2.0	#2.5	#3.0	#3.5	#4.0	#4.5	.#5.0	#5.5	#6.0	#6.5	A7.0
King Cobra DG	365	24"	24.5"	25"	25.5"	26"	26.5"	27"	27.5"	28"	28.5*	29"	29.5"	30"
Black Mamba 29	355	24"	24.5"	25"	25.5*	26"	26.5"	27"	27.5"	28"	28.5"	29"	29,5"	30"
Black Mamba PRO	360	24°	24.5"	25"	25.5*	26"	26.5"	27*	27.5"	26"	28.5*	29"	29.5"	30"
Black Mamba 33	345	26"	26.5*	27"	27.5*	28*	28.5"	79"	29'5	30*	30.5*	31"	31.5"	32"
Black Mamba 36	343	26.5	27"	27.5"	28"	28.5"	29"	29.5"	30"	30.5"	31"	31.5"	32"	32.5"
Black Mamba X38	340	27"	27.5	28*	28.5*	29"	29.5"	30"	30.5*	31"	31.5*	32"	32.5"	33"
Black Mamba Air+	340	25"	25.5"	26"	26.5*	27*	27.5"	28"	28.5"	29"	29.5"	30"		

APA bows are built under one or more of the following patents: CA 2,375,177 U.S. 6,502.566 U.S. 6,745,756 U.S. 7,318.429 U.S. 8,783,236 U.S. 8,028,685 U.S. 10,955,214 Other patents pending. Soft Touch Armour under license.



APA'S RISK FREE TEST DRIVE PROGRAM AVAILABLE

We encourage you to check if there is an APA stocking retailer within a 100km (60 mile) radius of your residence. If there is not a retailer, simply contact APA Archery at 1-306-948-5101 or visit www.apaarchery.com for further test drive details to find out how you can try an APA bow Risk Free!

Limited Lifetime Warranty to the registered original owner

APA Archery believes it builds one of the finest made compound bows on the market today and to back this up APA offers the best warranty in the industry. For further warranty information contact APA Archery at 1-306-948-5101 or visit www.apaarchery.com.

We Are Not The Same



After reviewing the product guide, if you feel our bow specifications do not meet your requirements, please inquire about further custom builds.

Thank you to those that submitted photos.

APA ARCHERY

704 Main Street Box 1420

Biggar, SK, Canada SOK OMO

info@apaarchery.com 1-306-948-5101

APA PRODUCT GUIDE | 2024